
COVID-19 Screening for Parents

Every morning before you send your child to school please check the following:

- Your student does NOT have a fever greater than 100.4 degrees (may be lower based on your school's policy) OR lower if your child is not feeling well.
- 2 Other signs of illness such as:



- ယ with COVID-19 within the last two weeks? Were you in close contact (within 6 feet for more than 15 minutes) with anyone confirmed
- If the answer is YES to any of the questions, DO NOT send your student to school. Instead, begin quarantine of your child and contact your healthcare provider. Strongly consider COVID-19 testing.



Individual is NOT a known close contact to a COVID-19 case:

Individual	Individual Symptomatic	No Symptoms
Not tested	Not tested • The individual must remain home for at least 10 days since the first symptoms began AND be fever free without the	May attend school.
for		
COVID-19	• Siblings and household members should follow the close contact chart below for exclusion.	



Tested and The individual must be fever free for 24 hours without the use	- If dia	covid-19 use of
Tested and The individual must be fever free for 24 hours without the use of fever-reducing medications and improvement of	 If diagnosed with another condition that explains the symptoms, such as ear or bladder infection, individual does need to isolate and close contacts do not need to quarantine, doctor's note required to return to school. 	 Siblings and household members should follow the close contact chart below for exclusion.

- symptoms, unless otherwise advised by a healthcare provider.

May attend school.

- If diagnosed with another condition, the individual must complete the exclusion period for the diagnosed disease. Please provide proof of negative COVID-19 test (not antibody).
- Tested and • The individual must isolate at home for at least 10 days since the first symptoms began AND be fever free without the use of fever-reducing medications for 24 hours AND with improvement in symptoms.

positive

COVID-19

COVID-19

- Must isolate at home for 10 days after the day the sample was collected
- should follow the close contact chart below Siblings, household members, and other close contacts

Individual IS a known close contact to a COVID-19 case:

 Siblings, household members, and other close contacts should follow the close contact chart below. Repeat testing is NOT recommended for making decisions about when people can return to work or school

Individual	Symptomatic	No Symptoms
Not tested for COVID-19	 The individual must quarantine for 14 days after the last contact with the COVID-19-positive person. If the exposure is to a household member and the case cannot properly isolate away from others at home, the last date of contact may be the last day of isolation for the positive person. The individual must also remain home for at least 10 days since the first symptoms began AND be fever free without the use of fever-reducing medications for 24 hours AND with improvement of symptoms. The criteria in both of the above bullets must be met before returning to school. Siblings, household members, and other close contacts should also follow this chart to determine quarantine length. 	 Must quarantine for 14 days from the date of last exposure before returning to school orday care. If the exposure is to a household member and the case cannot properly isolate away from others at home, the last date of contact may be the last day of isolation for the positive person. If an individual who is a close contact becomes symptomatic, refer to the symptomatic scenarios.
Tested and negative for COVID-19	 The individual must quarantine for 14 days after contact with the COVID-19-positive person, even if the student has an alternate diagnosis for symptoms. If still symptomatic after the 14 days, individual must wait to return to school until fever free for 24 hours without the use of fever-reducing medications and improvement of symptoms. 	 Must quarantine for 14 days from the date of last exposure before returning to school or day care. If the exposure is to a household member and the case cannot properly isolate away from others at home, the last date of contact may be the last day of isolation for the positive person. If an individual who is a close contact becomes symptomatic, refer to the symptomatic scenarios.
Tested and positive for	 The individual must isolate at home for at least 10 days since the first symptoms began AND be fever free without the use of fever-reducing medications for 24 hours AND with improvement in symptoms. Repeat testing is NOT recommended for making decisions about when people can return to work or school. 	 Must isolate at home for 10 days after the day the sample was collected. Siblings, household members, and other close

COVID-19

length.

Siblings, household members, and other close contacts should also follow this chart to determine quarantine

contacts should follow this chart.

• If the close contact tests positive, isolation starts on the day of symptom onset and isolation may end prior to the

last day of quarantine or after the 14 days of quarantine.

Individual is NOT a known close contact to a COVID-19 case:

Individual	Symptomatic	No Symptoms
Not tested for COVID-19	 The individual must remain home for at least 10 days since the first symptoms began AND be fever free without the use of fever-reducing medications for 24 hours AND with improvement of symptoms. Siblings and household members should follow the close contact chart below for exclusion. If diagnosed with another condition that explains the symptoms, such as ear or bladder infection, individual does need to isolate and close contacts do not need to guarantine. 	• May attend school.
Tested and negative for COVID-19	 The individual must be fever free for 24 hours without the use of fever-reducing medications and improvement of symptoms, unless otherwise advised by a healthcare provider. If diagnosed with another condition, the individual must complete the exclusion period for the diagnosed disease. Please provide proof of negative COVID-19 test (not antibody). 	May attend school.
Tested and positive for COVID-19	 The individual must isolate at home for at least 10 days since the first symptoms began AND be fever free without the use of fever-reducing medications for 24 hours AND with improvement in symptoms. Repeat testing is NOT recommended for making decisions about when people can return to work or school. Siblings, household members, and other close contacts should follow the close contact chart below. 	 Must isolate at home for 10 days after the day the sample was collected. Siblings, household members, and other close contacts should follow the close contact chart below.

	need to isolate and close contacts do not need to quarantine, doctor's note required to return to school.	
Tested and negative for COVID-19	 The individual must be fever free for 24 hours without the use of fever-reducing medications and improvement of symptoms, unless otherwise advised by a healthcare provider. If diagnosed with another condition, the individual must complete the exclusion period for the diagnosed disease. Please provide proof of negative COVID-19 test (not antibody). 	May attend school.
Tested and positive for COVID-19	 The individual must Isolate at home for at least 10 days since the first symptoms began AND be fever free without the use of fever-reducing medications for 24 hours AND with improvement in symptoms. Repeat testing is NOT recommended for making decisions about when people can return to work or school. Siblings, household members, and other close contacts should follow the close contact chart below. 	 Must isolate at home for 10 days after the day the sample was collected. Siblings, household members, and other close contacts should follow the close contact chart below.
Individual	IS a known close contact to a COVID-19 case:	
Individual	Symptomatic	No Symptoms
Not tested for COVID-19	 The individual must quarantine for 14 days after the last contact with the COVID-19-positive person. If the exposure is to a household member and the case cannot properly isolate away from others at home, the last date of contact may be the last day of isolation for the positive person. The individual must also remain home for at least 10 days since the first symptoms began AND be fever free without the use of fever-reducing medications for 24 hours AND with improvement of symptoms. The criteria in both of the above bullets must be met before returning to school. Siblings, household members, and other close contacts should also follow this chart to determine quarantine length. 	 Must quarantine for 14 days from the date of last exposure before returning to school orday care. If the exposure is to a household member and the case cannot properly isolate away from others at home, the last date of contact may be the last day of isolation for the positive person. If an individual who is a close contact becomes symptomatic, refer to the symptomatic scenarios.
Tested and negative for COVID-19	 The individual must quarantine for 14 days after contact with the COVID-19-positive person, even if the student has an alternate diagnosis for symptoms. If still symptomatic after the 14 days, individual must wait to return to school until fever free for 24 hours without the use of fever-reducing medications and improvement of symptoms. 	 Must quarantine for 14 days from the date of last exposure before returning to school or day care. If the exposure is to a household member and the case cannot properly isolate away from others at home, the last date of contact may be the last day of isolation for the positive person. If an individual who is a close contact becomes symptomatic, refer to the symptomatic scenarios.
Tested and positive for COVID-19	 The individual must isolate at home for at least 10 days since the first symptoms began AND be fever free without the use of fever-reducing medications for 24 hours AND with improvement in symptoms. Repeat testing is NOT recommended for making decisions about when people can return to work or school. Siblings, household members, and other close contacts should also follow this chart to determine quarantine length. If the close contact tests positive, isolation starts on the day of symptom onset and isolation may end prior to the last day of quarantine or after the 14 days of quarantine. 	 Must isolate at home for 10 days after the day the sample was collected. Siblings, household members, and other close contacts should follow this chart.

	Dec.	